

**=> IFW:      Scan as Doc Code: SRNT    <=  
                 Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number:**    10/821171

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**



PALM INTRANET

Day : Monday  
Date: 8/28/2006  
Time: 14:27:11

# Inventor Information for 10/821171

Inventor Name	City	State/Country
KIM, JIN-HO	KWANGJU	KOREA, REPUBLIC OF
CHANG, EUI-YOUNG	SUWON-SI	KOREA, REPUBLIC OF

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Invento](#)

Search Another: Application#   or Patent#    
PCT /  /   or PG PUBS #    
Attorney Docket #    
Bar Code #

To go back use Back button on your browser toolbar.

[Back to PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060174027 A1	20060803	Method and apparatus for transmission queue in communication system	709/231		Kim; Jin-Ho et al.
US 20060157848 A1	20060720	Structure and method for joining a semiconductor package to a substrate using solder column	257/737	257/E23.069; 438/613	Yoo; Cheol-Joon et al.
US 20060136974 A1	20060622	Apparatus for SCORM-based e-learning contents service in digital broadcasting system and method thereof	725/113	725/100; 725/112; 725/135	Lee; Seung Wook et al.
US 20060130518 A1	20060622	Refrigerator and manufacturing method of the same	62/525	62/441; 62/526	Kang; Sung-cheol et al.
US 20060130513 A1	20060622	Refrigerator	62/441	62/498; 62/525; 62/526	Chang; Eui-Young et al.
US 20060040690 A1	20060223	Method of providing PoC service in mobile communication system	455/518	455/507	Lee; Se Hee et al.
US 20060027901 A1	20060209	Stacked chip package with exposed lead-frame bottom surface	257/676	257/777; 257/787	Tsai; Ming-Sung et al.
US 20050280751 A1	20051222	Liquid crystal display device and method of manufacturing thereof	349/58		Kim, Jin Ho et al.
US 20050240989 A1	20051027	METHOD OF SHARING STATE BETWEEN	726/11		Kim, Jin-Ho et al.

		STATEFUL INSPECTION FIREWALLS ON MEP NETWORK			
US 20050235665 A1	20051027	REFRIGERATOR AND CONTROL METHOD THEREOF	62/135	62/318; 62/340	Kim, Woo Sung et al.
US 20050227437 A1	20051013	Method of forming ONO- type sidewall with reduced bird's beak	438/265		Dong, Zhong et al.
US 20050205975 A1	20050922	Semiconductor package having step type die and method for manufacturing the same	257/678		Kang, In- Ku et al.
US 20050170646 A1	20050804	Use of multiple etching steps to reduce lateral etch undercut	438/671		Huang, Chunchieh et al.
US 20050170578 A1	20050804	Use of pedestals to fabricate contact openings	438/201		Hsiao, Chia-Shun et al.
US 20050165073 A1	20050728	Isothiazolone composition and method for stabilizing isothiazolone	514/372		Hong, Wan-Pyo et al.
US 20050160757 A1	20050728	Icemaker	62/344	62/353	Choi, Sang- Keun et al.
US 20050138952 A1	20050630	Refrigerator	62/407	62/419	Jeong, Bu- kil et al.
US 20050138807 A1	20050630	Evaporator manufacturing method and refrigerator with the evaporator	29/890.035	29/890.03; 29/890.07	Kim, Jin- ho et al.
US 20050126197 A1	20050616	Refrigeration apparatus and refrigerator with the refrigeration	62/275	62/285; 62/80	Kim, Jin- ho et al.

		apparatus			
US 20050105763 A1	20050519	Real time video watermarking method using frame averages	382/100		Lee, Seung Wook et al.
US 20050054186 A1	20050310	Wire bonding method, semiconductor chip, and semiconductor package	438/612		Kim, Jin-Ho et al.
US 20050054141 A1	20050310	Thin semiconductor package having stackable lead frame and method of manufacturing the same	438/111	257/E23.039; 257/E23.047; 257/E23.124; 257/E25.023	Kim, Jin-Ho et al.
US 20050045921 A1	20050303	Semiconductor device having LDD-type source/drain regions and fabrication method thereof	257/213	257/E21.576; 257/E21.59; 257/E21.62	Kim, Do-Hyung et al.
US 20050039944 A1	20050224	Non-solder mask defined (NSMD) type wiring substrate for ball grid array (BGA) package and method for manufacturing such a wiring substrate	174/250	174/257	Kim, Jin-Ho et al.
US 20050016470 A1	20050127	Susceptor and deposition apparatus including the same	118/728		Kang, Tae-Soo et al.
US 20050003630 A1	20050106	Trench isolation without grooving	438/435	257/E21.548; 438/437	Ji, Hua et al.
US 20040262774 A1	20041230	Multi-chip packages having a plurality of flip chips and methods	257/777	257/E21.503; 257/E23.021; 257/E23.052; 257/E25.013	Kang, In-Ku et al.

		of manufacturing the same			
US 20040223353 A1	20041111	Ternary content addressable memory cell	365/49	257/E21.645; 257/E21.661; 257/E27.081; 257/E27.099	Kim, Jin-Ho et al.
US 20040104474 A1	20040603	Semiconductor package and package stack made thereof	257/734	257/E23.004; 257/E23.069; 257/E25.023	Kim, Jin-Ho et al.
US 20040099906 A1	20040527	Trench isolation without grooving	257/332	257/E21.548	Ji, Hua et al.
US 20040090759 A1	20040513	Multi-package stack module	361/790	257/E25.023	Kim, Jin-Ho
US 20040014284 A1	20040122	Semiconductor device having a flash memory cell and fabrication method thereof	438/257	257/E21.682; 257/E27.103	Kim, Dong-Jun et al.
US 20040003857 A1	20040108	Multilayer agricultural hose and method of manufacturing device therefor	138/125	138/128; 138/169; 138/170	Kim, Jin-Ho
US 20030174858 A1	20030918	Method for embedding and extracting a spatial domain blind watermark using sample expansion	382/100		Kim, Jin-Ho et al.
US 20030172275 A1	20030911	Real-time blind watermarking method using quantization	713/176		Lee, Seung Wook et al.
US 20030097850 A1	20030529	Refrigerator with multipurpose storage chamber and control method thereof	62/156	62/276	Chang, Eui-Young et al.
US 20030025190 A1	20030206	Tape ball grid array semiconductor chip package having ball land	257/690	257/E23.069; 257/E25.013	Byun, Hyung Jik et al.

		pad isolated from adhesive, a method of manufacturing the same and a multi-chip package			
US 20030016561 A1	20030123	Erasing method in non-volatile memory device	365/185.29		Lee, Yong-Kyu et al.
US 20020164847 A1	20021107	Method of forming a CMOS type semiconductor device	438/199	257/E21.634; 257/E21.64	Kim, Do-Hyung et al.
US 20020163037 A1	20021107	Semiconductor device having LDD-type source/drain regions and fabrication method thereof	257/336	257/E21.576; 257/E21.59; 257/E21.62	Kim, Do-Hyung et al.
US 20020100926 A1	20020801	Semiconductor device having a flash memory cell and fabrication method thereof	257/296	257/E21.682; 257/E27.103	Kim, Dong-Jun et al.
US 20020089636 A1	20020711	Liquid crystal display device	349/156		Kang, Dong Ho et al.
US 20020083397 A1	20020627	Structure and method for depuncturing punctured codes for radix-4 branch metric calculation in high-speed viterbi decoder	714/796		Choi, Eun-A et al.
US 20010027064 A1	20011004	Power connector for DC microwave oven	439/687		Han, Yong-Woon et al.
US 20010026459 A1	20011004	Transformer	363/24	363/25	Han, Yong-woon et al.
US	20011004	Microwave oven	219/754	219/762	Han,

20010025850 A1					Yong- woon et al.
US 20010025849 A1	20011004	Parts arrangement structure for DC microwave oven	219/715	219/760	Han, Yong- Woon et al.
US 7098407 B2	20060829	Non-solder mask defined (NSMD) type wiring substrate for ball grid array (BGA) package and method for manufacturing such a wiring substrate	174/257	174/255	Kim; Jin- Ho et al.
US 7071115 B2	20060704	Use of multiple etching steps to reduce lateral etch undercut	438/717	438/401; 438/448; 438/671; 438/736	Huang; Chunchieh et al.
US 7067413 B2	20060627	Wire bonding method, semiconductor chip, and semiconductor package	438/617	257/784; 257/785	Kim; Jin- Ho et al.
US 7061087 B2	20060613	Multi-package stack module	257/686	257/723; 257/E25.023; 361/803	Kim; Jin- Ho
US 7010934 B2	20060314	Icemaker	62/353	249/127; D15/90	Choi; Sang-keun et al.
US 7006659 B2	20060228	Method for embedding and extracting a spatial domain blind watermark using sample expansion	382/100		Kim; Jin Ho et al.
US 6987553 B2	20060117	Liquid crystal display device with column spacers	349/156	349/155; 349/157	Kang; Dong Ho et al.
US 6978626 B2	20051227	Refrigerator and control method thereof	62/74	137/487.5; 62/188; 62/347	Kim; Woo Sung et al.



US 6924542 B2	20050802	Trench isolation without grooving	257/501	257/506; 257/510; 257/513; 257/E21.548; 438/221; 438/296; 438/426; 438/435	Ji; Hua et al.
US 6818489 B2	20041116	Semiconductor device having LDD-type source/drain regions and fabrication method thereof	438/197	257/E21.576; 257/E21.59; 257/E21.62	Kim; Do- Hyung et al.
US 6812567 B2	20041102	Semiconductor package and package stack made thereof	257/734	257/737; 257/E23.004; 257/E23.069; 257/E25.023; 438/116; 438/617	Kim; Jin- Ho et al.
US 6803276 B2	20041012	Semiconductor device having a flash memory cell and fabrication method thereof	438/257	257/E21.682; 257/E27.103; 438/286	Kim; Dong-Jun et al.
US 6787409 B2	20040907	Method of forming trench isolation without grooving	438/221	257/E21.548; 438/296; 438/424; 438/426; 438/431; 438/435	Ji; Hua et al.
US 6784476 B2	20040831	Semiconductor device having a flash memory cell and fabrication method thereof	257/296	257/314; 257/E21.682; 257/E27.103	Kim; Dong-Jun et al.
US 6732326 B2	20040504	Structure and method for depuncturing punctured codes for radix-4 branch metric calculation in high-speed viterbi decoder	714/790	714/795; 714/796	Choi; Eun-A et al.
US 6725678	20040427	Refrigerator with	62/156	62/276	Chang;

B2		multipurpose storage chamber and control method thereof			Eui-Young et al.
US 6724661 B2	20040420	Erasing method in non-volatile memory device	365/185.29	365/185.18; 365/185.33	Lee; Yong-Kyu et al.
US 6610565 B2	20030826	Method of forming a CMOS type semiconductor device	438/233	257/E21.634; 257/E21.64; 438/199; 438/203	Kim; Do-Hyung et al.
US 6566196 B1	20030520	Sidewall protection in fabrication of integrated circuits	438/257	257/E21.682; 257/E27.103; 257/E29.129; 438/954	Haselden; Barbara et al.
US 6508679 B2	20030121	Power connector for DC microwave oven	439/696	439/488; 439/804; 439/892; 439/908; 439/934	Han; Yong-woon et al.
US 6414287 B1	20020702	Parts arrangement structure for DC microwave oven	219/715	219/756; 219/757; 219/760	Han; Yong-woon et al.
US 6373038 B1	20020416	Microwave oven having a rotating tray support	219/754	219/762	Han; Yong-woon et al.
US 6142222 A	20001107	Plate tube type heat exchanger having porous fins	165/148	165/151; 165/153	Kang; Byung Ha et al.
US 6070419 A	20000606	Cool air exhaling apparatus in enforced circulation type refrigerator and control method thereof	62/89	62/408	Chang; Eui-young
US 5981327 A	19991109	Method for forming wells of semiconductor device	438/228	257/E21.346; 257/E21.537; 438/451; 438/526; 438/527	Kim; Jin-Ho
US 5921104 A	19990713	Cool air exhaling apparatus in	62/407	62/441	Chang; Eui-young

		enforced circulation type refrigerator and control method thereof			
US 5501084 A	19960326	Air sterilizer and deodorizer for a refrigerator	62/264	62/443; 62/78	Chang; Eui- Young et al.
US 5031417 A	19910716	Evaporator of ice machine	62/347	62/515	Chang; Eui- Young